

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. This Supplemental Examiner's Amendment is meant to be in addition the Examiner's Amendment mailed 03/10/2009 and **NOT** intended to replace the previous Amendment. Upon review for publication, a typographical error was found on Page 5, Line 4-5 of the Specification regards to referencing a no longer existent Claim 12.
2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The Specification of the Application on Page 5, Line 4-5 has been amended as follows:

An X-ray imaging method, which can be implemented on the device according to the invention forms subject matter of the patent claims 8 to [12] 11.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HELENE BOR whose telephone number is (571)272-2947. The examiner can normally be reached on M-T 8:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571)272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/H. B./
Examiner, Art Unit 3768

/Eric F Winakur/
Primary Examiner, Art Unit 3768